

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G07F 7/08, G06F 17/60 // 153:00	A1	(11) International Publication Number: WO 96/12254 (43) International Publication Date: 25 April 1996 (25.04.96)
(21) International Application Number: PCT/NO95/00166 (22) International Filing Date: 14 September 1995 (14.09.95) (30) Priority Data: 943849 12 October 1994 (12.10.94) NO (71) Applicant (for all designated States except US): MEKATRON- IKK A/S [NO/NO]; Fremskridt 8, N-1609 Fredrikstad (NO). (72) Inventor; and (75) Inventor/Applicant (for US only): PLANKE, Tore [NO/NO]; Stranden 73, N-0250 Oslo (NO). (74) Agent: LANGFELDT, Jens, F., C.; Bryns Patentkontor a/s, P.O. Box 765, Sentrum, N-0106 Oslo (NO).		(81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TT, UA, UG, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, MW, SD, SZ, UG). Published <i>With international search report.</i> <i>With amended claims.</i> <i>In English translation (filed in Norwegian).</i>

(54) Title: A SYSTEM FOR SALE OF CONSUMER GOODS**(57) Abstract**

A system for the sale of consumer goods, where the purchaser of an article, from a board (1) containing symbols of merchandise, collects symbols of articles (2) in the form of optically, magnetically or electronically readable cards (2). The card is preprogrammed, but not capable of being reprogrammed. A control unit (3, 4, 5, 6, 7, 8, 14, 31) converts the article number of the card to an article price paid by the customer of the article, and transmits at least one unique serial number of the card via a connection (9; 15) to a comparator and controller unit (10) in a merchandise dispensing machine (11) to be stored as a validation signal for the specific card in a memory (13). The stored validation signal is compared with data on the card which is input and read (16) in the dispensing machine (11), the specific article being dispensed at the correspondence of said data, simultaneously with the validation of the card being deleted.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

A system for sale of consumer goods

The present invention relates to a system for the sale of consumer goods, where the purchaser of an article at the place of purchase collects one or more non-validated card symbols of the article, where data carried on the symbol of the article are read and registered, where such data are converted to a price for the article which is paid by the purchaser of the article, where the purchaser of the article receives a validated symbol of the article, and where the article is dispensed to the purchaser at a dispensing location in return for his/her depositing the validated symbol of the article, the symbol of the article subsequently being invalidated,

Such a system is known from, inter alia, the furniture company IKEA.

The known system is based on a purchaser of an article collecting at a place of purchase the non-validated symbol of the article at one of the many service areas found at the place of purchase. When the customer receives this non-validated symbol of the article, the customer simultaneously knows that the article is reserved for him/her in the stock room. When the customer presents the symbol of the article at the check-out register, this symbol, generally in the form of a large card where the article is described, is read either manually followed by manual typing on the cash register, or by optical reading of a code on the card, for example a bar code. The code for the particular article is converted by a computer system to an article price, which is added to the bill that is to be paid in cash by the customer. Only when the article or articles have been paid, will the customer receive a validated symbol of the article. Simultaneously, a message is automatically transmitted to the stock room indicating that the customer has bought and paid for a particular article, so that the customer will receive

the article when he/she visits the stock room. At the same time the validated symbol of the article, for example a cash register receipt with a special note, is invalidated by the person delivering the article, by a cancellation stamp being
5 placed on the receipt.

EP-A-135,631 teaches a system for the sale of consumer goods, where there is used a programmable card which at a sale is provided with information about the article to be
10 delivered. After the article has been delivered, the information on the card is deleted. However, the system may easily be cheated by means of card copies being made.

Other examples of prior art within the patent literature to
15 be mentioned are US patents 4,669,596, 3,870,135, 4,767,917, 5,133,441, 3,939,952 and WO 88/04433.

However, within the grocery trade there is another problem which is of great concern, that is, the steadily increasing
20 problem of theft or pilfering of cigarettes and tobacco goods. Particularly in the case of burglaries, packs of cigarettes and tobacco goods as a whole are a favorite object of theft. This is due to the fact that tobacco goods are easy to sell, both to handlers of stolen goods and to
25 people in general who often buy single packs or cartons in the streets. On a country-wide basis, the theft of cigarettes and tobacco goods in Norway amounts to values exceeding NOK 100 million per year.

30 It is often found in cases of theft that the whole of the easily accessible stock of cigarettes and tobacco goods has been taken.

By means of the present invention it is sought to solve this
35 problem which is particularly prevalent within the grocery trade.

Although the present system has been shown and described particularly in connection with the sale of tobacco goods, it will be readily understood that the system easily may be used for the sale of other types of goods, particularly where price and size represent a security aspect, for example CD's, Russian caviar, etc.

According to the invention the system mentioned by way of introduction is characterized by

10

a preprogrammed, not reprogrammable card which is optically, magnetically or electronically readable and which forms the symbol of the article and which contains data both in the form of a number for the article of merchandise and a serial number which is unique to the individual card,

a merchandise dispensing machine where articles of merchandise corresponding to said article number are stored,

20 a comparator and controller unit mounted in the merchandise dispensing machine,

a card input having a card reader mounted in the merchandise dispensing machine for the input of said readable card and reading the data on the card,

25 a control unit at the place of purchase, for example a manually operated cash register, where said data on the symbol of the article are read either by the readable area of the card being scanned by insertion of the card into a scanner device or by data for the card being manually read and loaded into the control unit,

30 transmitting means in the control unit for transmitting a validation signal to and storing it in the comparator/-controller unit in the merchandise dispensing machine upon or subsequent to the registration of said article price, said

validation signal being composed of at least said serial number,

5 a comparator section of said comparator and controller unit, adapted to receive the data read by the card reader and collate these with the data in said validation signal which are stored in the memory of the comparator section, and in the case of correspondence emit an enabling signal to an controller section in said comparator and controller unit,
10 and

actuating means for a merchandise dispensing machine adapted to receive an controller signal from said controller section and as a result of the controller signal effect the delivery
15 to the customer of the paid number of articles corresponding to said article number from a merchandise supply in said dispensing machine.

According to the invention, it will also be advantageous to
20 let the comparator section be adapted to delete the used validation signal from the memory of the comparator section, simultaneously with or subsequent to the output of the enabling signal.

25 In the merchandise dispensing machine a container for the collection of cards will be disposed inwardly of said card input and reader. These collected cards where the validation has been cancelled by deletion of said stored validation signals are intended to be brought back to the place of
30 purchase for repeated use.

According to a further embodiment of the system said card input is adapted to return to the customer cards which have not been validated in advance. This means that no article
35 will be dispensed to the customer from the merchandise dispensing machine unless the card has been registered in the

control unit and the validation signal has been transmitted from there to the memory of the comparator section.

Said cards may advantageously be designed to carry a complete or partial representation of the article concerned so as thereby to promote the sale of the article. Such articles may be consumer goods, as, for example, one or more of the following items: packs of cigarettes, cigars, snuff, pipe tobacco, and tobacco for rolling cigarettes, etc.

10

It will be advantageous to let the merchandise dispensing machine have a modular design, with a specific type of merchandise intended for each module. Further, it will be very advantageous to let the dispensing machine be encompassed by a burglarproof cabinet.

15

The invention will now be further explained by reference to the enclosed drawings.

Fig. 1 is a schematic diagram of the system according to the invention.

20

Fig. 2 is a perspective view of a control unit included in the system.

25

In Fig. 1 there is shown a self-service shelf 1 with symbols 2 of merchandise, where each symbol of merchandise represents a specific article of merchandise. This symbol of an article may be an optically, magnetically or electronically readable card containing data both in the form of a number of an article of merchandise and a serial number which is unique to the particular card. The card is preprogrammed and cannot be reprogrammed. This makes the card inexpensive with respect to its production. Such cards on a self-service shelf may, for example, represent packs of cigarettes of various brands. Thus, when the customer buys merchandise and in the present example also wishes to have one or more packs of cigarettes

30

35

of a particular brand, he picks up the desired number of cards. The unique serial number of each separate card and the number of the article of merchandise may be disclosed on the card, for example in the form of a bar code, a numerical code, or a magnetic region or in the form of an electronically readable area on the card. The customer brings the card or possibly a plurality of cards to a control unit 3 at the place of purchase, for example a manually operated cash register. The control unit 3 may consist of a card scanner 4 which scans the reading area of the card. This card scanner 4 may optionally be replaced or supplemented by the usual bar code reader 31 of the cash register. Alternatively, data on the card may be manually read and entered on a keyboard 5 by the person operating the cash register. The article number which thus is scanned and manually entered will be transmitted via a connection 6 to a converting means 7 in the control unit 3 in order to convert the merchandise article number which is transferred to the value of the article and register the amount to be paid by the customer for the article, for example NOK 35.50. However, it will be necessary to ensure that the card 2 for which the customer has paid has been validated. There are therefore, in substance, alternative ways to accomplish this, two of which are being shown in the present description. In the first case the card 2 is moved from the scanner 4 after having been read there, optionally after manual typing via the keyboard 5, to a transmitting means 8 included in the control unit. This transmitting means 8 is capable of transmitting, via a connection 9, a validation signal for the card to a comparator and controller unit 10 included in a merchandise dispensing machine 11, said transmission occurring upon or subsequent to the registration of said amount in the control unit 3 and the converting means 7. The validation signal is composed of at least said unique serial number. The comparator and controller unit 10 comprises a comparator section 12 having a memory 13 where data in said validation signal can be stored.

In an alternative embodiment, indicated by dashed lines, there will, by the scanning of the card 2 in the scanner 4 or by manual registration via the keyboard 5, or by means of the bar code reader 31, occur a transfer to the converting means 7 of both the merchandise article number and the unique serial number of the card. A validation signal is thereafter transmitted from the converting means 7 via another transmitting means 14, this transmitting means 14 being capable of transmitting a validation signal to the comparator section 12 via a connection 15 for the storage of the validation signal in the memory 13 of the comparator section 12. In this case as well, the validation signal will be composed of at least the unique serial number of the card. Said comparator section of the comparator and controller unit 10 is designed to receive, from a card reader 16, data which the card reader reads from a card 2 which is fed through a card input 17 in the merchandise dispensing machine 11 when the card is inserted in the merchandise dispensing machine in the direction of the arrow 18. The comparator section 12 of the comparator and controller unit 10 which receives from the card reader 16 the data read from the card 2 will collate these data with the data stored in the memory 13 for said validation signal. When the data correspond, the comparator section 12 will feed an enabling signal to an controller section 19 which also is included in said comparator and controller unit. The controller unit 19 will as a result of this enabling signal feed a control signal via a connection 20 to an actuating means 21 also included in the merchandise dispensing machine 11. As a result of this controller signal the actuating means 21 will effect the delivery, from a merchandise supply, 22, 23, 24, 25, 26 or 27 in the chosen example, to the customer of the article or articles corresponding to the article numbers to which the respective cards relate. In the present example the customer has taken a card of the type E and, accordingly, this will, at the input of the card 2 in the merchandise dispensing machine 11, and when

this card has been prevalidated either via connection 9 or connection 15, entail that an article will be dispensed to the customer from the supply compartment for the article E, viz., the supply compartment 26. The actuating means 21 may be a circuit operating the respective dispensing gates (not shown) of the respective supply compartments 22-27 via respective actuating connections 22', 23', 24', 25', 26' and 27'.

Simultaneously with or subsequent to the output of the enabling signal from the comparator section 12 to the controller section 19, the used validation signal for the respective card will be deleted in the memory 13 of the comparator section 12. This means that when the card 2 is fed past the card reader 16, it will end up in a collection container 28, the card then having lost its validation. The collection container may be disposed directly in the path of movement downstream in relation to the card reader 16, as shown in Fig. 1. By the very fact that the collected cards have had their validation cancelled by the deletion of the stored validation signal for the particular card with its unique serial number, the collected cards can be brought back to the place of purchase, i.e., the self-service shelf¹ for repeated use, validation, and invalidation after the dispensing of the article.

By means of the letters A, B, C, D, E and F it is indicated that the card 2 may carry a complete or partial representation of the article, for example the appearance of a side of a pack of cigarettes.

Although there in Fig. 1 is shown a merchandise dispensing machine 11 having six article type modules, it will be readily understood that the actuating means 21 may equally well operate a greater or smaller number of such modules, depending upon the particular requirements at the place of purchase. The merchandise dispensing machine 11 may

expediently be encompassed by a burglarproof cabinet, individual articles optionally being described on the exterior of the cabinet. The cabinet ought to be of such strength and structure that it might withstand at least a
5 fifteen minutes' burglary attack without permitting access. This means that the cigarette and tobacco articles located in the store are safely secured in comparison with the known solutions where tobacco articles are placed in a wire cabinet which can easily be broken apart by simple tools.

10

Although the present invention has been described particularly in connection with consumer goods, as, for example, packs of cigarettes, cigars, snuff, pipe tobacco, tobacco for
15 rolling cigarettes, or similar articles, it is readily understood that the present system also can be used for other consumer goods representing a risk for theft because of their price, size and demand on the market as, for example, compact discs (CD's), Russian caviar, perfume, and so forth.

20 A further advantage of the present system is that it will not be possible for a customer to input a card which has not been validated in advance, the card in that case being returned to the customer. However, this means that a card which might have been copied will not have an article
25 dispensed if the article already has been dispensed for the original card. Such a copied card will be recognized as "false" and retained by the machine.

The greatest advantage of the present invention is that the
30 symbol or symbols of the article cannot be validated before they have been registered in a control unit/cash register. The present system will also be difficult to cheat since the card can be provided with an EAN 13 code permitting a total of 10^{12} numerical combinations. The system thus becomes
35 completely theft proof in addition to it being completely impossible to manipulate the card codes in practice, these being fixed to the respective card and incapable of being

changed. When the merchandise is dispensed, the serial number of the card will, as mentioned, be excluded from the memory 13 and the card will remain within the machine until this is emptied by the staff at the place of purchase. The cards which thus are collected in the collection container 28 are in fact without value and can thereby be used again, provided they are of such a physical quality that this is possible.

10 The number of units of merchandise for each article of merchandise that can be stored in the merchandise dispensing machine is to a great extent dependent upon the physical design and dimensions of the machine. In a preferred, but for the invention non-limiting, embodiment the dispensing machine may for example have a storage capacity for articles 15 to be dispensed which will be sufficient for two days or more. Further, it is possible to let the merchandise dispensing machine have such a large cabinet that there are opportunities for storage outside the supply compartments, 20 whereby replenishment of the supply compartments might be carried out in a simpler manner.

Although Fig. 1 has been described in particular in connection with a pack of cigarettes, it will be readily understood 25 that somewhat more irregular shapes also may be suitable for delivery from the dispensing machine 11, for example tobacco for rolling cigarettes, canisters for cigars, paper tubes for cigarettes, etc. Although only six variants of articles of merchandise are shown in connection with the self-service shelf 1, this is to be understood simply as an example, the 30 self-service shelf having the symbols of articles or the cards 2 being capable of providing space for far more articles, for example at least 25 variants.

35 Standard price tickets 29 for shelf use may be placed above each variant of the articles.

Instead of the customer optionally picking up two or more cards in order to receive two or more articles of the same type, some cards on the shelf 1 may for example state the number of articles represented by the card at the same time
5 as the appearance of the article is illustrated on the card.

By means of the present invention there is achieved, not only a safer and simpler sale of consumer goods, such as typically tobacco articles, but also the elimination of a substantial
10 possibility for shrinkage and theft of the articles in question. Not only will the smell of typical tobacco articles be eliminated at the cash register, a smell which is unpleasant both to the customers and the staff, but the customer service at the cash registers will also be better.
15 This, in turn, means a significantly improved work situation for the staff. By the very fact that particularly tobacco goods is a favorite object of theft, the present system will remove a principal catalyst for burglary motives.

20 Another essential feature of the present invention is the fact that the tobacco articles will be removed from the cash register area and instead be located in the merchandise dispensing machines, for example at the exit from the store. This will to a much greater extent reduce the so-called
25 "impulse purchase" which often takes place at the cash register. The person operating the cash register will also be spared from having to get up from his/her work place or possibly stretch uncomfortably in order to get hold of the article of merchandise required.

30 The system also implies, for the reason that the card is preprogrammed with respect to article number and serial number, that the article does not need to be recorded at the cash register and that the card does not have to be program-
35 med or reprogrammed at the cash register. This ensures quick processing at the cash register.

The presence of a self-service shelf also provides the opportunity for marking it with consumer information. Similarly, the front of the dispensing machine and the cards 2 might carry consumer information about the particular product. Actually, such information is at the present time only limited to what might be placed on the article in question. As a result of the present system, it will thus be greater opportunities for exposure and campaigns, particularly attitude campaigns in connection with tobacco goods. A more circumstantial buying process will also make the customer more attentive at the moment of purchase.

The present system will not only reduce typical losses due to pilfering, where this constitute nearly 0.5% of the sale of the articles in question, but also possibly lead to less payment in self-insurance in connection with burglary. It is also conceivable that the insurance premium might be reduced as a result of better security arrangements for goods specially exposed to theft.

Moreover, the present system will also result in typical labor saving and better work environment at the individual cash register, in addition to making the maintenance of stock rooms and the replenishing of supplies simpler and more efficient in terms of time.

A modification of the system shown in Fig. 1 can easily be carried out by a person skilled in the art without thereby departing from the spirit of the invention as expressed in the appended patent claims.

Finally, the invention will briefly be described in connection also with what is shown in Fig. 2. Data from the card 2 can either be read by a scanner 4, as mentioned in connection with Fig. 1, or be entered by means of a keyboard 5. If a keyboard 5 is used, it will in this connection be expedient to provide a transmitting means 8, for example a card

scanner, which can transmit the validation signal to the dispensing machine 11. As soon as the validation signal is sent to the dispensing machine 11, a control lamp, for example a LED 31, might be operated on the scanner. In the
5 case where only the scanner is used for sending a validation signal to the dispensing machine via the transmitting means 14, it is only necessary to pass the card 2 through the scanner 4. Normally, the present system will therefore only need one card scanner in addition to the card reader in the
10 dispensing machine itself 11.

The control unit 3 may, for example, have the physical appearance of a cash register with a display window 3' for indicating the value of the article corresponding to the
15 converted merchandise article number. The push-button area 3" may optionally be used for other cash register functions. The reference numeral 30 represents the box of coins and notes/bills in the register 3, and 31 represents the bar code reader.

20

25

30

35

P a t e n t C l a i m s :

1.

A system for the sale of consumer goods, where the purchaser
5 of an article at the place of purchase collects one or more
non-validated card symbols of the article, where data
carried on the symbol of the article are read and registered,
where such data are converted to an article price which is
10 paid by the purchaser of the article, where the purchaser of
the article receives a validated symbol of the article, and
where the article is dispensed to the purchaser at a
dispensing location in return for his/her depositing the
validated symbol of the article, the symbol of the article
subsequently being invalidated,

15 c h a r a c t e r i z e d b y

- a preprogrammed, not reprogrammable card which is optically, magnetically or electronically readable, which forms the symbol of the article, and which contains data both in the form of a number for the article of merchandise and a
20 serial number which is unique to the individual card,
- a merchandise dispensing machine where articles of merchandise corresponding to said article number are stored,
- a comparator and controller unit mounted in the merchandise dispensing machine,
- 25 - a card input having a card reader mounted in the merchandise dispensing machine for the input of said readable card and reading the data on the card,
- a control unit at the place of purchase, for example a manually operated cash register, where said data on the
30 symbol of the article are read either by the readable area of the card being scanned by insertion of the card into a scanner device or by data on the card being manually read and loaded into the control unit,
- transmitting means in the control unit for transmitting a
35 validation signal to and storing it in the comparator and controller unit in the merchandise dispensing machine upon or subsequent to the registration of said article price, said

validation signal being composed of at least said serial number,

- a comparator section of said comparator and controller unit, adapted to receive the data read by the card reader and collate these with the data in said validation signal which are stored in the memory of the comparator section, and in the case of correspondence output an enabling signal to an controller section in said comparator and controller unit, and
- actuating means for a merchandise dispensing machine adapted to receive an controller signal from said controller section and as a result of the controller signal effect the delivery to the customer of the paid number of articles corresponding to said article number from a compartment for the supply of merchandise in said dispensing machine.

2.

The system disclosed in claim 1, characterized in that the comparator section is adapted to delete the used validation signal from the memory of the comparator section, simultaneously with or subsequent to the output of the enabling signal.

3.

The system disclosed in claim 1 or 2, characterized in that a container for the collection of cards is disposed in the merchandise dispensing machine, inwardly of said card input and reader.

4.

The system disclosed in claim 3, characterized in that collected cards where the validation has been cancelled by deletion of said stored validation signals are intended to be brought back to the place of purchase for repeated use.

5.

The system disclosed in one or more of the preceding claims, characterized in that said card input is adapted to return to the customer cards which have not been validated in advance.

5

6.

The system disclosed in one or more of claims 1-3, characterized in that said card is designed to carry a complete or partial representation of the article of merchandise.

10

7.

The system disclosed in one or more of the preceding claims, characterized in that the merchandise dispensing machine is encompassed by a burglarproof cabinet.

15

8.

The system disclosed in one or more of the preceding claims, characterized in that said consumer goods comprise one or more of the following articles: packs of cigarettes, cigars, snuff, pipe tobacco, tobacco for rolling cigarettes, or similar goods.

20

25

30

35

AMENDED CLAIMS

[received by the International Bureau on 12 March 1996 (12.03.96);
original claims 1-8 replaced by amended claims 1-5 (3 pages)]

1.

A system for the sale of consumer goods, where the purchaser
5 of an article at the place of purchase collects one or more
non-validated card symbols of the article, where data
carried on the symbol of the article are read and registered,
where such data are converted to an article price which is
paid by the purchaser of the article, where the purchaser of
10 the article receives a validated symbol of the article, and
where the article is dispensed to the purchaser at a
dispensing location in return for his/her depositing the
validated symbol of the article, the symbol of the article
subsequently being invalidated, said system further
15 comprising:

- a merchandise dispensing machine where articles of
merchandise corresponding to said article number are stored,
- a comparator and controller unit mounted in the merchandise
dispensing machine,
- 20 - a card input having a card reader mounted in the merchan-
dise dispensing machine for the input of said readable card
and reading the data on the card,
- transmitting means in a control unit for transmitting a
validation signal to and storing it in the comparator and
25 controller unit in the merchandise dispensing machine upon or
subsequent to the registration of said article price, said
validation signal being composed of at least said serial
number,
- a comparator section of said comparator and controller
30 unit, adapted to receive the data read by the card reader and
collate these with the data in said validation signal which
are stored in the memory of the comparator section, and in
the case of correspondence output an enabling signal to an
controller section in said comparator and controller unit,
- 35 and
- actuating means for a merchandise dispensing machine
adapted to receive an controller signal from said controller

section and as a result of the controller signal effect the delivery to the customer of the paid number of articles corresponding to said article number from a compartment for the supply of merchandise in said dispensing machine,

5 - wherein said readable card is a preprogrammed, not reprogrammable card which is optically, magnetically or electronically readable, which forms the symbol of the article, and which contains data both in the form of a number for the article of merchandise and a serial number which is
10 unique to the individual card, and

- wherein said control unit is located at the place of purchase, for example a manually operated cash register, where said data on the symbol of the article are read either by the readable area of the card being scanned by insertion
15 of the card into a scanner device or by data on the card being manually read and loaded into the control unit.

2.

The system according to claim 1,

20 wherein the comparator section is adapted to delete the used validation signal from the memory of the comparator section, simultaneously with or subsequent to the output of the enabling signal.

25 3.

The system according to claim 1 or 2 collected in the merchandise, wherein cards dispensing machine, said cards having their validation cancelled by deletion of said stored validation signals, are intended to be brought back to the
30 place of purchase for repeated use.

4.

The system according to one or more of claims 1-3,

35 characterized in that said card is designed to carry a complete or partial representation of the article of merchandise.

19

5. The system disclosed in one or more of the preceding claims, characterized in that said consumer goods comprise one or more of the following articles: packs of
5 cigarettes, cigars, snuff, pipe tobacco, tobacco for rolling cigarettes, or similar goods.

10

AMENDED SHEET (ARTICLE 19)


15

20

25

30

35



INTERNATIONAL SEARCH REPORT

International application No.

PCT/NO 95/00166

A. CLASSIFICATION OF SUBJECT MATTER

IPC6: G07F 7/08, G06F 17/60 // G06F 153:00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: G07F, G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 3824544 A (LUTHER G. SIMJIAN), 16 July 1974 (16.07.74), column 2, line 24 - column 3, line 58; column 4, line 28 - line 47 --	1-8
A	WO 9401838 A1 (MARKETING CONSULT NORD GMBH), 20 January 1994 (20.01.94), page 7, line 6 - line 35 --	1-8
A	EP 0135631 A1 (VERTX CORPORATION), 3 April 1985 (03.04.85) -----	1-8

☐ Further documents are listed in the continuation of Box C.☒ See patent family annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *B* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

& document member of the same patent family

Date of the actual completion of the international search

Date of mailing of the international search report

9 January 1996

30-01-1996

Name and mailing address of the ISA/
Swedish Patent Office
Box 5055, S-102 42 STOCKHOLM
Facsimile No. +46 8 666 02 86

Authorized officer

Jan Silfverling
Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT

11/12/95

International application No.

PCT/NO 95/00166

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US-A-	3824544	16/07/74	NONE	
WO-A1-	9401838	20/01/94	NONE	
EP-A1-	0135631	03/04/85	NONE	